

Бытовые насосы РЖМ

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Россия (495)268-04-70

Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Киргизия (996)312-96-26-47

Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Казахстан (7172)727-132

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93



Household Pumps PJM

PJM

TECHNICAL DESCRIPTION

- New self-priming centrifugal pump
 - Original design by PURITY (patented)
 - Both square motor & round motor available
 - YE3 high efficient motor, with protection IP55 class F
- Pump case with anti-corrosive coating
- Impeller in stainless steel AISI 304 or cast iron
 - Shaft in stainless steel AISI 304 or galvanized iron
 - Suction and discharge port in G20 thread
 - Quality NSK bearing, wear resistance mechanical seal

PCm

Centrifugal pump
Bomba centrifuga



PJm

Self-priming JET pump
Bomba autocebanteJET



NEW/NUEVO

TECHNICAL DESCRIPTION

- New self-priming centrifugal pump
- Original design by PURITY (patented)
 - Both square motor & round motor available
- YE3 high efficient motor, with protection IP55 class F
- Pump case with anti-corrosive coating
 - Impeller in stainless steel AISI 304 or cast iron
 - Shaft in stainless steel AISI 304 or galvanized iron
 - Suction and discharge port in G20 thread
- Quality NSK bearing, wear resistance mechanical seal

USING LIMITS

- Liquid temperature between -10°C and +120°C
- Ambient temperature up to +50°C
- Max. working pressure 10 bar
- Continuous service S1

APPLICATIONS

- Suitable for use with liquids that are not chemically aggressive towards the materials from which the pump is made.
- These pumps are recommended for use in irrigation pumps, cooling systems, air conditioning systems, water supply systems, liquids transfer, pressure systems,



PCm

Centrifugal pump
Bomba centrífuga



PJm

Self-priming JET pump
Bomba autocebanteJET



TECHNICAL DATA / DATOS TÉCNICOS

50 Hz n=2900 1/min

MODEL MODELO	Power Potencia		k/min	Q«DELIVERY / CAUDAL											DN
				0	5	10	20	30	40	50	60	70	80	90	
	kw	hp	m³/h	0	0.3	0.6	1.2	1.8	2.4	3.0	3.6	4.2	4.8	5.4	mm
PCm 1S8	0.75	1	H(m)	33	33	33	32.5	32	31.5	30	29	27.5	26	24.5	2Sx25


TECHNICAL DATA / DATOS TÉCNICOS

50 Hz n=2900 1/min

MODEL MODELO	Power Potency		Vmin	Q«DELIVERY / CAUDAL											DN
				0	5	10	20	25	30	40	45	50	60	70	
	kw	hp	m³/h	0	0.3	0.6	1.2	1.8	2.4	3.0	3.6	4.2	4.8	5.4	mm
PJm 10M	0.75	1	H(m)	50	47	44	38.5	36	34	29.5	27.5	26	22.5	20	2Sx25


PERFORMANCE CURVE / CURVAS DE FUNCIONAMIENTO

50 Hz n=2900 1/min



DIMENSIONS AND WEIGHT / DIMENSIONES Y PESOS

MODEL MODELO	DN (Inch)	N.W (kg)	LxWxH (cm)
PCm 1S8	1"x1"	11.0	29x19x24
PJm 10M	1"x1"	13.5	39x18x20



Product Specification 60HZ

PCm

Centrifugal pump
Bomba centrífuga



PJm

Self-priming JET pump
Bomba autocebante JET



NEW/NUEVO

TECHNICAL DESCRIPTION

- New self-priming centrifugal pump
- Original design by PURITY (patented)
 - Both square motor & round motor available
- YE3 high efficient motor, with protection IP55 class F
- Pump case with anti-corrosive coating
 - Impeller in stainless steel AISI 304 or cast iron
 - Shaft in stainless steel AISI 304 or galvanized iron
 - Suction and discharge port in G20 thread
- Quality NSK bearing, wear resistance mechanical seal

USING LIMITS

- Liquid temperature between -10°C and +120°C
- Ambient temperature up to +50°C
- Max. working pressure 10 bar
- Continuous service S1

APPLICATIONS

- Suitable for use with liquids that are not chemically aggressive towards the materials from which the pump is made.

- These pumps are recommended for use in irrigation pumps,cooling systems,air conditioning systems,water supply systems,liquids transfer, pressure systems,

TECHNICAL DATA / DATOS *t*ECNICOS

60 HZ n=3500 1/min

MODEL MODELO	Power <i>Potend a</i>		l/min	Q«DELIVERY / CAUDAL											DN
				0	5	10	20	30	40	50	60	70	80	90	
	kw	hp	nr^h	0	8.3	0.6	1.2	1.8	2.4	3.0	3.6	4.2	4.8	5.4	mm
PCm 158	0.75	1	H(m)	33	33	33	325	32	3L5	30	29	27.5	26	24.5	25x25


TECHNICAL DATA / DATOS *t*ECNICOS

60 HZ n=3500 1/min

MODEL MODELO	Power <i>Potend a</i>		l/min	Q«DELIVERY / CAUDAL											DN
				0	5	10	20	25	30	40	45	50	60	70	
	kw	hp	m^h	0	8.3	0.6	1.2	1*5	1.8	2.4	2.7	3.0	3.6	4.2	mm
PJmIOM	0.75	1	H(m)	50	47	44	38.5	36	34	29.5	27.5	26	22.5	20	25x25


PERFORMANCE CURVE / CURVAS DEFUNCIONAMIENTO*t*

60 HZ n=3500 1/min



DIMENSIONS AND WEIGHT/ DIMENSIONES Y PESOS

MODEL MODELO	DN (meh)	N.W (kg)	LxWxH (cm)
PCm 158	i\r	11.0	29x19x24
PJm 10M	iv\r	13.5	39x18x20



По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	